

CLAIMS

What is claimed is:

1 1. A method for automatically determining a configuration of an I/O connector
2 panel, the method comprising the steps of:
3 providing information about the capabilities of the connector card to a memory within
4 the connector card;
5 examining the information in the memory; and
6 downloading at least one driver to a system coupled to the I/O connector panel based
7 upon the examined information.

1 2. The method of claim 1 wherein the memory comprises an EEROM.

1 3. The method of claim 1 wherein the downloading step is provided by software
2 that is independent of the type of I/O connector panel.

1 4. The method of claim 1 wherein the system includes a core PC function block.

1 5. An I/O connector panel comprising:
2 a plurality of I/O connectors; and
3 a memory containing information about the capabilities of the connector panel,
4 wherein, when the memory is examined, at least one driver can be downloaded to a system
5 coupled to the I/O connector.

1 6. The connector panel of claim 5 wherein the memory comprises an EEROM.

1 7. The connector panel of claim 5 wherein the system includes a core PC function
2 block.

1 8. The connector panel of claim 5 further comprises connector logic coupled to
2 the memory for I/O distribution.

1 9. The connector panel of claim 5 wherein the memory contains attributes of the
2 I/O connector panel and attributes of each connector installed on the connector panel.

1 10. A processing system comprising:
2 a core PC function; and
3 at least one I/O connector panel coupled to the core PC function, the at least one
4 connector panel comprising: a plurality of I/O connectors and a memory containing
5 information about the capabilities of the connector panel, wherein, when the memory is
6 examined, at least one driver can be downloaded to a system coupled to the I/O connector
7 panel.

1 11. The processing system of claim 10 wherein the memory comprises an EEROM.

1 12. The processing system of claim 10 further comprises connector logic coupled to
2 the memory for I/O distribution.

1 13. The processing system of claim 10 wherein the memory contains attributes of
2 the I/O connector panel and attributes of each connector installed on the I/O connector panel.

1 14. A processing system comprising:
2 a core PC function; and
3 a plurality of I/O connector panels coupled to the core PC function, each of the plurality
4 of connector panels comprising a plurality of I/O connectors, an EEROM containing
5 information about the capabilities of the connector panel, wherein, when the memory is
6 examined, at least one driver can be downloaded to a system coupled to the I/O connector
7 panel, and connector logic coupled to the EEROM for I/O distribution.

1 15. The processing system of claim 14 wherein the memory contains attributes of
2 the I/O connector panel and attributes of each connector installed on the I/O connector panel.
3